Serial No. **783**3**9**

PRIMARY

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

| THIS SPACE FOR OFFICE USE ONLY | | | |
|--|---|--|--|
| Date of filing in State Engineer's Office. APR 2 0 2009 | | | |
| | leturned to applicant for correction | | |
| C | Corrected application filed | | |
| | 78034 | | |
| Th | e applicantCITY OF FERNLEY | | |
| 595 SILVER LACE BLVDofFERNLEY, NEVADA 89408 Street and No. Or P.O. Box No | | | |
| her | reby makes application for permission to change the | | |
| X | Point of diversion Place of use Manner of use Of a portion | | |
| of water heretofore appropriated underPermit 74482 | | | |
| 1. | The source of water isTRUCKEE RIVER | | |
| 2. | The amount of water to be changed | | |
| 3. The water to be used forSTORAGE WITH SECONDARY PERMITS FOR BENEFICAL USES ALLOWED BY THE TRUCKEE RIVER OPERATING AGREEMENT Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use. | | | |
| 4. | The water heretofore used for | | |
| 5. | Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on snsurveyed land, it should be stated. | | |
| 6. | The existing point of diversion is located within Derby Dam being located in N1/2 SW1/4, Section 19, T.20N., R.23E., MDB&M If point of diversion is not changed, do not answer. | | |
| 7. | Proposed place of useThe beneficial place of use will be set forth in applications for secondary permits consistent with the Truckee River Operating Agreement. The water stored under this Primary Application will be in the Lake Tahoe, Boca Reservoir, Donner Reservoir, Stampede Reservoir, Prosser Creek Reservoir, Derby Dam, and the City of Fernley Water Treatment Facility | | |

78339

| 8. | Existing place of useSee Attachment Describe by legal subdivisions. If permit is for irrigati use of irrigation permit, describe acreage to be remove | "B" and map filed with application 74482 of the ion, state number of acres irrigated. If changing place of use and/or manner of wed from irrigation. | | |
|---|--|--|--|--|
| 9. | Use will be fromt | oof each year. Month and Day | | |
| 10. | Use permitted from 1/1 to 12/31 | | | |
| 11. | 11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) The Reservoirs and Diversion Works for Lake Tahoe, Boca Reservoir, Donner Reservoir, Stampede Reservoir, Prosser Creek Reservoir and Derby Dam are Complete. The City of Fernley Water Treatment Facility is currently under Construction | | | |
| 12. | 2. Estimated cost of works \$50,000,000 | | | |
| 13. | 3. Estimated time required to construct works | | | |
| 14. | Estimated time required to complete th | e application of water to beneficial useN/A | | |
| 15. | Remarks: SEE REMARKS IN ATT | ACHMENT "C" | | |
| | (775) 784-9920 Phone No. | By: Lowell Patton, Director, City of Fernley Public Works Department Profor type name clearly Signature, applicant or agent | | |
| APPLICATION MUST BE SIGNED BY THE APPLICANT OR AGENT | | Fernley, NV 89408 | | |

\$150 FILING FEE MUST ACCOMPANY APPLICATION

2009 APR 20 PM 1:40
STATE ENGINEERS OFFICE

Attachment "A"

The Proposed Points of Diversion are shown on the map filed with Application: 78034

Lake Tahoe:

Within the NE ¼ of the NW ¼ of Section 7, T. 15N., R. 17E., M.D.M., or from the Dam the southwest corner of said Section 7 bears South 29° 09' 30" West a distance of 5,182 feet, more or less. The capacity of Lake Tahoe is approximately 744,600 AF.

Donner Lake:

Within the SE ¼ of the NE ¼ of Section 18, T. 17N., R. 16E., M.D.M., or from the Dam the Southeast corner of said Section 18 bears South 04° 07' 14" East a distance of 2,981 feet, more or less. The capacity of Donner Lake is 9,500 AF.

Prosser Creek Dam (Reservoir):

Within the NW ¼ of the SW ¼ of Section 30, T. 18N., R. 17E., M.D.M., or from the Dam the Southeast corner of said Section 30 bears South 22° 58' 48" West a distance of 2,006 feet, more of less. The capacity of Prosser Creek Reservoir is approximately 29,840 AF.

Boca Dam (Reservoir):

Within the SE ¼ of the SW ¼ of Section 21, T. 18N., R. 17E., M.D.M., or from the Dam the Southwest corner of said Section 21 bears South 81° 05' 07" West a distance of 2,647 feet, more or less. The capacity of Boca Reservoir is approximately 40,870 AF.

Stampede Dam (Reservoir)

Within the NW ¼ of the NW ¼ of Section 28, T. 19N., R. 17E., M.D.M., or from the Dam the Northwest corner of said Section 28 bears North 36° 08' 27" West a distance of 636 feet, more or less. The capacity of Stampede Reservoir is approximately 226,500 AF.

Derby Dam:

Within the N ½ of the SW ¼ of Section 19, T. 20N., R. 23E., M.D.M.

ATTACHMENT B

T. 20 N. R. 24 E. M.D.B. & M.

Portions of Sections 9 and 10, Sections 11, 12, 13, 14 and 15; Portion of Sections 16, 17 and 20, Section 21, 22, 23, 24, 25, 26, 27 and 28; Portions of Sections 29, 30, 31, Sections 32, 33, 34, 35 and 36.

T. 20 N. R. 25 B. M.D.B. & M.

Sections 1, 2 and 3; Portions of Sections 4 and 5, Sections 7 through 36

T. 20 N. R. 26 E. M.D.B. & M.

Portion of Section 5, Sections 6 and 7; Portion of Sections 8 and 17, Sections 18 and 19; Portion of Sections 20 and 29, Sections 30 and 31; Portions of Section 32.

T. 21 N. R. 25 B. MDB. & M.

Portion of Sections 13, 23 and 24, Section 25; Portion of Sections 26, 27, 28 and 33, Sections 34, 35 and 36.

T. 21 N. R. 26 E. M.D.B. & M.

Portions of Sections 5, 7 and 8, Section 17; Portion of Section 18, Sections 19, 20, 29, 30, 31 and 32.

T. 22 N. R. 26 B. M.D.B. & M.

Portions of Sections 28, 32 and 33.

T. 19 N. R. 25 R. M.D.B. & M. All of Sections 1 through 36

T. 19 N. R. 24 E. M.D.B. & M.

Sections 1, 2, 3, 4 and 5; Portion of Section 6, Sections 7 through 36.

T. 19 N. R. 23 B. M.D.B. & M.

Portions of Sections 1, 12, 13, 14 and 23, Sections 24 and 25; Portion of Sections 26, 27 and 34, Sections 35 and 36.

2035 JUL -6 151 3: 3

Attachment "C"

15. Remarks

This application is filed pursuant to the provisions of N.R.S §533.515 in that it seeks to add the reservoirs described in Attachment "A" and as listed in Item 11 above as additional points of diversion for the water rights described herein. This application is also filed as part of the implementation of the operating agreement described in Section 205 (a) of Public Law 101-618. Because of the provisions of California Water Code section 1231 and 1232, California will recognize any permits issued by the Nevada State Engineer based upon this application. Therefore, it is within the jurisdiction of the Nevada State Engineer to approve this application allowing for the storage of the consumptive use component of these Nevada water rights in California.

Water diverted to storage under a permit issued hereunder will be and is the subject of applications for secondary permits for beneficial uses allowed by the Truckee River Operating Agreement at the places allowed by that Agreement. The amount of water diverted to storage under a permit issued hereunder in any one year will not be less than the full permitted duty of 4.5 AF per year. The amount of water under a permit issued hereunder which may be in storage at any one time and which may be released and used from storage in any one year will not exceed the amounts allowed by the Truckee River Operating Agreement.

If the water right described herein is not diverted to storage, the full duty of the water right will continue to be diverted at its allowed points of diversion for its manner of use.